

Simple Mid-Century Modern Entry Table

By **Seeking Alexi**

Difficulty

Easy

This simple entry table is the perfect size and is set at an EASY skill level! Depending on the paint or stain you choose, it can look either farmhouse or mid century modern!



Tools

Kreg Tools

 [Wood Project Clamp - 6"](#)

 [Kreg® Pocket-Hole Jig 720](#)

Other Tools

Miter Saw

Tape Measure

Drill (cordless)

Impact Driver

Tape Measure

Materials

Wood Products

1 Board , 1x8 , 48"

5 Board , 2x2 , 96"

Hardware & Supplies


30 2 1/2" Kreg Screws

12 1 1/4" Kreg Screws

1 Stain Or Paint

Cut List & Parts

- 2 Long Table Top Frame , 2x2x40
- 2 Short Table Top Frame , 2x2x10 1/8
- 2 Long Table Base , 2x2x40
- 2 Short Table Base , 2x2x10 1/8
- 1 Table Top , 1x8x40
- 4 Table Legs , 2x2x33



Directions

1**Drill all Kreg holes**

After you have cut your wood according to the cut list, add Kreg holes in both sides of the the two longer table frames, the 2 longer table bases, one side of each of the table legs, and all around the 1" table top.

Then, in the 2 longer sides of the table base, add 3 Kreg screws along each so you can attach the base to the table top using Kreg screws (these holes are not shown in photo).



2**Assemble Table Frame and Table Base**


Using 2 1/2" Kreg screws, assemble the frame of the table top and also the table top base. They should be identical.

**3****Attach table top**

Using 1 1/4" screws, attach the table top to one of the two frames you just created. (Paint or stain table top desired color before step 5.)

4**Attach legs to table base**

Using 2 1/2" Kreg screws, attach the legs to the table base. (Paint or stain your desired color before step 5.)

**5****Attach base to table top**

Using 2 1/2" Kreg screws, attach table base to the table top.