

Fluted Sofa Table

By Built by Bec Designs

Difficulty

Moderate

Build this style sofa table or use it as a console table!



Page 1 of 10



Tools Materials Kreg Tools Wood Products 2 Wood , 1x6x8' Kreg® Pocket-Hole Jig 720PRO 2 Wood , 1x8x6' 1 Wood , 2x6x6' 75 Dowel , 1/4" Zinc Pocket-Hole Screws Hardware & Supplies 13 FETTER Zinc Pocket-Hole Screws **25** 11/4" Pocket Hole Screws **25** 3/4" Pocket Hole Screws Variation Of 80,120, 150 And 220 Sandpaper **Other Tools** Wood Glue Router Stain Of Choice Miter saw CA Glue Sander Z Clips/Figure 8 Fasteners Drill Clamp Roundover bit Track saw

Table saw

Page 2 of 10



Cut List & Parts

- **2** Top , 3/4" X 7.25" X 71"
- 2 Long Apron , 3/4" X 5.5" X 66"
- 2 Short Apron , 3/4" X 5.5" X 10.5"
- **75** Dowels , 1/4" X 5.5"
- 4 Legs , 1.5" X 1.5" X 26"


Page 3 of 10



Directions

1

Cut wood to size. Set your pocket hole jig to 3/4" and pocket hole the top boards together using 3/4" wood glue and 3/4" screws.





2 Cut the legs using a track saw or table saw. Optional: Taper the legs at 5" from the bottom. Taper should be from 1.5" - 1".


Page 5 of 10



3

3

Cut the apron pieces to size. Using 1 1/4" pocket hole screws, first attach the short springs to the legs and then the long aprons. Make sure to recess the apron 1/4" to make room for the dowels.








Optional: roundover the legs using a router.

Page 7 of 10




5 Cut all the dowels to size. Attach to the aprons using clear CA glue.




Page 8 of 10




6 Sand the top and base then stain your choice of color.









Page 10 of 10