

DIY Faux Leather Bench

Difficulty

Advanced

Create this fun Leather Woven Bench to bring some style to your home.




Tools

Kreg Tools

 [Wood Project Clamp - 6"](#)

 [Kreg® Pocket-Hole Jig 720](#)

 [Mobile Project Center](#)

Other Tools

Miter Saw

Drill (cordless)

Impact Driver

Sander

Sawhorse

Materials

Wood Products

7 Board , 2x2 , 72"

Hardware & Supplies

1 2 1/2" Pocket Hole Screws

Cut List & Parts

4 2x2s , 48 1/4"


12 2x2s , 13 1/2"

Directions

1

Assemble Base Side


Begin assembling the base by attaching the (48 1/4") 2x2s to the (13 1/2") 2x2s using a Kreg Jig on a 1 1/2" setting, with 2 1/2" pocket hole screws to attach along with wood glue.



2


Add Base Side Stretchers

Attach the two middle (13 1/2") 2x2 to the assembled side using a Kreg Jig on a 1 1/2" setting, with 2 1/2" pocket hole screws to attach along with wood glue and repeat both steps to create two bench base sides.



3**Attach Base Sides**

Attach the two assembled base sides together with the four remaining (13 1/2") 2x2s using a Kreg Jig on a 1 1/2" setting, with 2 1/2" pocket hole screws to attach along with wood glue.



4**Attach Leather Top**

Check out the link in the Extras tab for leather top upholstery instructions and video

Attach Leather top of your choice to the assembled base using 2" Wood Screws.

