


Outdoor Rolling Grill Cart

Difficulty

Easy

This outdoor rolling grill cart is the perfect accessory for your grill this summer. Load it up and roll out all your supplies in one trip. When you're done cooking, load all the food on it and roll it over to your dining table. This grill cart is perfect and loaded with accessories!





Tools

Kreg Tools

Kreg®
Pocket-
Hole Jig
720

[Kreg® Pocket-Hole Jig 720](#)

Other Tools

SawMax

Drill (cordless)

Nail Gun

Sander

Materials

Wood Products

- 8 Board , 1x4 , 96"
- 1 Dowel , 3/4" Thick , 48"

Hardware & Supplies

- 4 Hooks
- 1 Bottle Opener
- 50 1 1/4" Kreg Screws
- 2 3" Casters

Cut List & Parts

- 5 Top Boards , 28"
- 4 Bottom Boards , 28"
- 2 Bottom Side Boards , 14.5"x2.75"
- 4 Back Legs , 30"
- 4 Front Legs , 26.5"
- 4 Top And Bottom Sides , 21"
- 4 Top And Bottom Front And Back , 14.5"
- 5 Dowel Holders , 5"
- 1 Short Dowel , 17.5"
- 1 Long Dowel , 28"



Directions

1

Make Cuts

Make all the cuts in the cut list using 1"x4" lumber.



2**Glue Legs**

Glue your legs together. Take two front leg pieces and glue them together flush. Repeat with the other front leg pieces and the back leg pieces.



3**Drill Pocket Holes**


Drill two pocket holes on each end of the top and bottom side pieces and the top and bottom front and back pieces.



4

Build Sides

Build your sides by attaching your top and bottom side pieces to the front and back legs. Start by attaching flush with one end of each, then by attaching flush with the bottom of the front leg. Repeat to create the other side, making sure you reverse the boards (unlike in this picture) as they will end up facing each other.




5**Connect Sides**

Use the top and bottom front and back pieces to connect the two sides. Start by attaching all the boards to one side, then connect them to the other side.




6**Attach Casters**

Attach casters to the bottom of the front legs. This will make the whole cart level now.



7**Drill Dowel Holders**

Drill two pocket holes in one side of each of the dowel holder pieces. Then drill a hole the size of your dowel into each piece. It's best to drill straight through all the pieces at once so the holes all line up. Otherwise, carefully measure where you place your holes.



8**Attach Dowel Holders**

Attach two dowel holders to the back of the cart and three to the side. Insert the short dowel into the back of the cart to create a handle and glue this into place. Insert the long dowel into the side of the cart, but do not glue, this one should be removable.



9**Attach Top Boards**

Use a nail gun to attach your top boards to the top of the cart.



10

Attach Bottom Boards

Use a nail gun to attach your bottom boards to the bottom of the cart.



11

Sand

Sand everything smooth and flush.



12

Stain and Seal

Stain and seal your cart. If leaving outdoors, make sure you choose an outdoor grade stain and/or sealant.



13**Accessorize**

Add accessories to customize your grill cart. I added hooks for grill tools and a bottle opener. Also, slide a roll of aluminum foil and paper towels onto the long dowel.



14

Grill Out

Enjoy your new grill cart!



15

Visit www.CharlestonCrafted.com

Visit www.CharlestonCrafted.com for a special giveaway of all the tools used for this project.

Charleston
Crafted